

DATA SHEET

SOFFIO



PRODUCT TECHNICAL SPECIFICATIONS	02
COVERING	03
STANDARD FEATURES	03
FUNCTIONS	03
LAYOUT	04



PRODUCT TECHNICAL SPECIFICATIONS

Dimensions [cm]	220 w x 82 d x 70/81 h	
Voltage	230 Vac IP+N+PE	
Max consumption [W] [A]	1400 / 6,08	
Frequency [Hz] / [A]	50/60 - 16	
Structure	Stainless steel tank clad in soft padding	
Lighting	Underwater led-lighting in different colours	
Maximum load [Kg]	130	
Net weight [Kg]	165	
Operating weight [Kg]	265	
Square metre weight [Kg/sqm]	150	
Water capacity [It]	100	
Water change	Annual and/or depending on source chemical-physical properties	
Heating system	Resistive	
Water heating time [h]	7-8	
Requirements for installation	Electrical power supply with earthed plug	
Packaging dimensions [cm]	230 L x 90 W x 91 H	
Gross weight [Kg]	225	



COVERING

Oak	Rovere Naturale	
	Rovere Wengé	
	Rovere Bianco	
	Bosco Blu	
	Muschio Verde	
	Terra Chiara	
	Rosa Viola	

STANDARD FEATURES


PVC Mattress	PVC mattress with removable and washable sponge	
PVC Membrance	Anti-mould and anti-bacterial waterproof PVC membrane	
Touch-Screen Display	Integrated in the equipment. Non removable. Controls all Soffio functions.	

FUNCTIONS

Continuodo wavo	The time between waves can be regulated.	
Continuous wave	Discontinuous wave.	
RGB led lights with colour selection and colour rotation		
To stop the session		
To set the platform at the desired height		
	Т	



LAYOUT



The Starpool products listed here are compliant with the required European standards. Starpool reserves the right to change/adjust technical and dimensional information without prior notice. If the purchaser intends to install the Starpool products in countries outside the EU where different standards from the European CE apply, the purchaser is obliged to inform Starpool of the additional requirements.

All technical data reported here are an estimate of the consumption, calculated on the default settings defined by Starpool.